


# LIOSIL<sup>®</sup> FC 203



## Functional Silicone Fluids

LIOSIL<sup>®</sup> FC 203 is a self-dispersible aminofunctional silicone fluid with polyether groups.

## Technical data

### General Characteristics

Property	Condition	Value	Method
Amine number	-	approx. 0.2 mmol N/g	-
Active content	-	approx. 100 %	-
Solids content	-	approx. 100 %	Microwave oven
Appearance	-	clear to slightly turbid, yellowish fluid	-
Viscosity, dynamic	25 °C   Brookfield, spindle 2 / 2,5 rpm	approx. 3500 mPa·s	-
pH	-	approx. 8	Indicator strips

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.

## Applications

- Protect & Care

## Application details

LIOSIL® FC 203 is combined with conventional fabric softeners. Due to the special composition LIOSIL® FC 203 improves the hydrophilicity of the fabrics by which the absorbency is increased significantly. Additionally, LIOSIL® FC 203 reduces the friction force of the iron and therefore the ironing properties are improved.

### Processing

Preferably, LIOSIL® FC 203 is mixed with the fabric softener at the end of fabric softener production by stirring gently.

Example for a fabric softener with LIOSIL® FC 203:

- 6,5 parts Esterquat (50°C) are poured slowly in
- 92,2 parts demineralized water (50°C) while stirring until the mixture is homogenous;
- q.s. perfume, dye, preservative are added;
- 1,3 parts LIOSIL® FC 203 are mixed while stirring.

Dosage recommendation: About 0,5 - 2 % LIOSIL® FC 203 in the fabric softener formulation.

The dosage of LIOSIL® FC 203 in the fabric softener depends on the desired effects.

## Packaging and storage

### Storage

The 'Best use before end' date of each batch is shown on the product label. Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

## Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

## QR Code LIOSIL® FC 203



**For technical, quality or product safety questions, please contact:**

**Wacker Chemie AG**, Gisela-Stein-Strasse 1, 81671 Munich, Germany  
[productinformation@wacker.com](mailto:productinformation@wacker.com), [www.wacker.com](http://www.wacker.com)

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.