

# BELSIL® WO 3700



## Silicone Fluids, functional (INCI)

BELSIL® WO 3700 is a non-ionic emulsifier suitable for water in oil (W/O) and water in silicone (W/Si) formulations. BELSIL® WO 3700 is based on a polymeric polydimethylsiloxane which is functionalized with polyether groups as well as with alkyl groups. Due to its special structure, the product ensures a good emulsion stability. BELSIL® WO 3700 appears as an almost colorless medium-viscose liquid. The calculated HLB value (hydrophilic-lipophilic balance) of BELSIL® WO 3700 is approximately 3.



INCI Cetyl PEG/PPG-10/1 Dimethicone

## Technical data

### General Characteristics

Property	Condition	Value	Method
Refractive index	-	1.438	-
Appearance	-	colorless to slightly yellow liquid	-
Density	25 °C   1013 hPa	approx. 0.93 g/cm <sup>3</sup>	DIN 51757
Flash point	-	approx. 130 °C	ISO 2719
Viscosity, kinematic	25 °C	approx. 2000 mm <sup>2</sup> /s	DIN 51562

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.

## Applications

- After-Sun

- Anti-Aging Products
- Eye Make-up
- Face & Body Care
- Make-up
- Make-up Foundation
- Personal Care
- Skin Care
- Sun Care
- Sunscreen

## Application details

BELSIL® WO 3700 was specifically designed as an emulsifier for water-in-oil (W/O) or water-in-silicone (W/Si) products. However, together with suitable co-emulsifiers the product might also be used for the preparation of oil-in-water (O/W) formulations. Using BELSIL® WO 3700 as an emulsifier allows to formulate not only high viscose creams, but also enables stable low-viscous lotions. BELSIL® WO 3700 significantly improves the texture of W/O formulations. Typically W/O emulsions are associated with a heavy and rich skin feel. Using the silicone based BELSIL® WO 3700 improves the spreadability and texture of W/O formulations yielding rather light formulations.

BELSIL® WO 3700 is typically used in skin care products, but is also well-suited for sun care formulations or color cosmetic products such as foundations and concealers.

### Processing:

BELSIL® WO 3700 is typically added to the oil phase and well homogenized. It is recommended to add slowly the water phase into the oil phase for preparation of the final emulsion. BELSIL® WO 3700 can be used for hot and cold emulsification processes. The final product should be well homogenized until it reaches room temperature. Only a medium energy input during the emulsion formation and stirring below 4000 rpm is recommended to avoid coagulation and phase separation.

## Packaging and storage

### Storage

The 'Best use before end' date of each batch is shown on the product label. Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

## Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

## QR Code BELSIL® WO 3700



**For technical, quality or product safety questions, please contact:**

**Wacker Chemie AG**, Hanns-Seidel-Platz 4, 81737 Munich, Germany  
productinformation@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.