

# WACKER® CROSSLINKER V 95

## Silicone Fluid Emulsions, functional

WACKER® CROSSLINKER V 95 is a hydrolysate of an aminofunctional silane.

### Properties

WACKER® CROSSLINKER V 95 is intended for use as a crosslinking and adhesive additive for aqueous condensation curing polysiloxanes in the finishing of textiles and filfibers in order to get improved softness, slickiness and resilience.

## Technical data

### General Characteristics

Property	Condition	Value	Method
pH	-	approx. 11	-
Appearance	-	clear, colorless to yellowish liquid	-
Amine number	-	approx. 3.9 ml 1 N HCl/g	-
Refractive index	25 °C	approx. 1.387	DIN 51423
Viscosity, dynamic	25 °C	~ 8 mPa·s	DIN 53019

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.

## Application details

Guidelines for the use of WACKER® CROSSLINKER V 95 can be retrieved from the technicals data sheets of those finish emulsions where it is recommended as an additive.

## Packaging and storage

### Packaging

WACKER® CROSSLINKER V 95 is available in 25 kg canister.

### Storage

The 'Best use before end' date of each batch is shown on the product label.

Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

## Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

## QR Code WACKER® CROSSLINKER V 95



**For technical, quality or product safety questions, please contact:**

**Wacker Chemie AG**, Gisela-Stein-Strasse 1, 81671 Munich, Germany  
productinformation@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.