- Hydrophobic Impregnation
- Impregnation of New and Existing Buildings

SILRES[®] BS CREME F

Silane Cremes

SILRES® BS CREME F is an aqueous, solvent based, creamy hydrophobic impregnating agent based on a mixture of silane and siloxane. SILRES® BS CREME F is a high quality speciality product for hydrophobic impregnation of natural mineral substrates.

Technical data

General Characteristics

Property	Condition	Value	Method
Active substance	-	25 wt. %	-
Appearance	-	white or yellowish creme	-
Density	25 °C 1013 hPa	0.848 g/cm ³	DIN 51757
Flash point	-	65 °C	ISO 2592

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.



Application details

SILRES® BS CREME F is recommended for the hydrophobic impregnation of mineral substrates like brick, limesandstone and sandstone. With proper application it leads to a low water uptake, a high penetration depth and a good beading effect. The natural appearance of the treated surface remains unchanged.

SILRES® BS CREME F is best applied to the mineral substrate by the airless technique, undiluted and in the desired thickness. Brushes, lambskin rollers or spatulas may be used for smaller areas. Up to 100 - 200 g/m² may be applied in one operation to vertical surfaces and roofs, without loss of material. The exact amount depends on the absorbency of the substrate.

Packaging and storage

Storage

The "Best use before end" date of each batch is shown on the product label.

Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site http://www.wacker.com.

QR Code SILRES® BS CREME F



For technical, quality or product safety questions, please contact:

Wacker Chemie AG, Gisela-Stein-Strasse 1, 81671 Munich, Germany productinformation@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.